



**SITE ACCESS - VISIBILITY SPLAYS**  
SCALE 1:500

**LEGEND**  
 - - - - - 2.4m x 120m VISIBILITY SPLAY

**PRELIMINARY DRAWING:**  
 THIS DRAWING IS FOR PRELIMINARY PURPOSES ONLY AND MUST NOT BE READ AS A CONSTRUCTION ISSUE.  
 IT INDICATES DESIGN INTENT ONLY AND IS SUBJECT TO AMENDMENT DURING FINAL DESIGN DEVELOPMENT.

- PLANNING GENERAL NOTES:**
1. THE DRAWINGS, DESIGN AND ALL INFORMATION CONTAINED THEREIN ARE THE SOLE COPYRIGHT OF CANHAM CONSULTING LTD AND ANY REPRODUCTION IS FORBIDDEN UNLESS PERMISSION IS OBTAINED IN WRITING.
  2. ALL DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL RELEVANT OTHER DRAWINGS AND SPECIFICATIONS.
  3. ANY DISCREPANCIES BETWEEN THE INFORMATION GIVEN BY THE ENGINEER, AND THAT PROVIDED BY OTHERS, MUST BE REFERRED TO THE ENGINEER BEFORE THE AFFECTED WORKS PROCEED.
  4. DIMENSIONS MUST NOT BE SCALED FROM THE ENGINEER'S DRAWINGS.
  5. ALL DIMENSIONS ARE IN METRES UNLESS NOTED OTHERWISE.
  6. THE INFORMATION SHOWN DOES NOT CONSTITUTE TECHNICAL APPROVAL FROM THE RELEVANT AUTHORITIES AND COULD BE SUBJECT TO CHANGE POST PLANNING.

- VEHICULAR ACCESS**
1. VISIBILITY SPLAYS TO BE FREE FROM ALL OBSTRUCTIONS TO VISIBILITY 0.25m ABOVE CARRIAGEWAY LEVEL
  2. FULL WIDTH OF FORMATION TO BE TREATED WITH AN APPROVED HERBICIDE



**SITE LOCATION PLAN**  
SCALE 1:2500

rev	date	details	drawn	checked
P01	25.05.22	PRELIMINARY ISSUE	AW	MR



**Structural Engineers**   **Civil Engineers**   **Building Surveyors**

+44 (0)1603 430650 | mail@canhamconsulting.co.uk | www.canhamconsulting.co.uk  
 client  
 ENGENA LIMITED  
 CREETING ST. MARY, SUFFOLK  
 architect

project  
 THREE OAKS RENEWABLE ENERGY PARK  
 WEST BACK SIDE, HAISTHORPE, DIFFIELD, YO25 4NW  
 title  
 Figure 17a - Highway Junction Entrance Visibility Splays

CCL ref.	drawn	design	checked	scale	size	date
217861	AW	AW	MR	1:500	A1 (L)	24.05.22

status:  
**S3 - SUITABLE FOR REVIEW & COMMENT**

drawing number	revision
217861-CCL-XX-XX-DR-C-3000	P01

THIS DESIGN IS PRODUCED IN ACCORDANCE WITH THE CONSTRUCTION (DESIGN AND MANAGEMENT) REGULATIONS 2016 INCORPORATING THE APPROVED CODE OF PRACTICE - REGULATIONS 2, 7 AND 11. THOSE ALTERING THE DESIGN WITHOUT THE AUTHORITY OF CANHAM CONSULTING LTD SHOULD BE AWARE THEY MAY ALSO ASSUME RESPONSIBILITY FOR THESE CHANGES.